Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 123
25 July to 25 August 1978

ACADEMIC PRESS
London New York San Francisco

QH301
J73

Copyright © 1978, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 123

NUMBER 1, 25 JULY 1978

ANDERSON, C. M., MCDONALD, R. C. and STEITZ, T. A., Sequencing a Protein by X-ray Crystallography. I. Interpretation of Yeast Hexokinase B at 2·5 Å Resolution by Model Building 1

ANDERSON, C. M., STENKAMP, R. E. and STEITZ, T. A., Sequencing a Protein by X-ray Crystallography. II. Refinement of Yeast Hexokinase B Co-ordinates and Sequence at 2·1 Å Resolution 15

ADMAN, E. T., STENKAMP, R. E., SIEKER, L. C. and JENSEN, L. H., A Crystallographic Model for Azurin at 3 Å Resolution 35

STEINERT, P. M., Structure of the Three-chain Unit of the Bovine Epidermal Keratin Filament 49

KILMARTIN, J. V., ANDERSON, N. L. and OGAWA, S., Response of the Bohr Group Salt Bridges to Ligation of the T State of Haemoglobin Kansas . 71

BAKER, T. S. and AMOS, L. A., Structure of the Tubulin Dimer in Zinc-induced Sheets 89

LETTER TO THE EDITOR

HAYAKAWA, K., KELLY, J. A. and JAMES, M. N. G., Crystal Data for Tonin, an Enzyme Involved in the Formation of Angiotensin II . 107

ANNOUNCEMENT 113

NUMBER 2, 5 AUGUST 1978

VAN DRIEL, R. and COUTURE, E., Assembly of Bacteriophage T4 Head-related Structures. II. *In vitro* Assembly of Prehead-like Structures . . . 115

CREIGHTON, T. E., KALEF, E. and ARNON, R., Immunochemical Analysis of the Conformational Properties of Intermediates Trapped in the Folding and Unfolding of Bovine Pancreatic Trypsin Inhibitor 129

THOMAS, J. O., STERNBERG, N. and WEISBERG, R., Altered Arrangement of the DNA in Injection-defective Lambda Bacteriophage 149

THOMAS, J. O., KOLB, A. and SZER, W., Structure of Single-stranded Nucleic Acids in the Presence of Ribosomal Protein S1 163

OSBORNE, H. B., SARDET, C., MICHEL-VILLAZ, M. and CHABRE, M., Structural Study of Rhodopsin in Detergent Micelles by Small-angle Neutron Scattering 177

ANDERSON, C. M., STENKAMP, R. E., MCDONALD, R. C. and STEITZ, T. A., A Refined Model of the Sugar Binding Site of Yeast Hexokinase B . . 207

SIROTKIN, K., COOLEY, W., RUNNELS, J. and SNYDER, L. R., A Role in Truelate Gene Expression for the T4 Bacteriophage 5′ Polynucleotide Kinase 3′ Phosphatase 221

NEUGEBAUER, D.-Ch. and ZINGSHEIM, H. P., The Two Faces of the Purple Membrane. Structural Differences Revealed by Metal Decoration . . 235

NEUGEBAUER, D.-Ch., ZINGSHEIM, H. P. and OESTERHELT, D., Recrystallization of the Purple Membrane *in Vivo* and *in Vitro* 247

HENDERSON, R., JUBB, J. S. and WHYTOCK, S., Specific Labelling of the Protein and Lipid on the Extracellular Surface of Purple Membrane . . . 259

LETTERS TO THE EDITOR

ZINGSHEIM, H. P., HENDERSON, R. and NEUGEBAUER, D.-Ch., Properties of the Two Sides of the Purple Membrane Correlated . . . 275

LEVIS, R., Kinetic Analysis of 5 S RNA Formation in *Drosophila* Cells . 279

DELUCAS, L. J., SUDDATH, F. L., GAMS, R. A. and BUGG, C. E., Preliminary X-ray Study of Crystals of Human Transferrin 285

NUMBER 3, 15 AUGUST 1978

SAKANO, H. and SHIMURA, Y., Characterization and *in Vitro* Processing of Transfer RNA Precursors Accumulated in a Temperature-sensitive Mutant of *Escherichia coli* 287

RIMPAU, J., SMITH, D. and FLAVELL, R., Sequence Organisation Analysis of the Wheat and Rye Genomes by Interspecies DNA/DNA Hybridisation . 327

BENHAM, C. J., The Statistics of Superhelicity 361

PHILIPPSEN, P., KRAMER, R. A. and DAVIS, R. W., Cloning of the Yeast Ribosomal DNA Repeat Unit in *Sst*I and *Hin*dIII Lambda Vectors Using Genetic and Physical Size Selections 371

PHILIPPSEN, P., THOMAS, M., KRAMER, R. A. and DAVIS, R. W., Unique Arrangement of Coding Sequences for 5 S, 5·8 S, 18 S and 25 S Ribosomal RNA in *Saccharomyces cerevisiae* as Determined by R-Loop and Hybridization Analysis 387

KRAMER, R. A., PHILIPPSEN, P. and DAVIS, R. W., Divergent Transcription in the Yeast Ribosomal RNA Coding Region as Shown by Hybridization to Separated Strands and Sequence Analysis of Cloned DNA . . . 405

FERGUSON, J. and DAVIS, R. W., A New Electron Microscopic Technique for Establishing the Positions of Genes; an Analysis of the Yeast Ribosomal RNA Coding Region 417

Schmitz, A., Coulondre, C. and Miller, J. H., Genetic Studies of the *lac* Repressor. V. Repressors which Bind Operator More Tightly Generated by Suppression and Reversion of Nonsense Mutations 431

Appendix: Files, J. G. and Weber, K., Direct Identification of the Amino Acid Changes in two Mutant *lac* Repressors 454

Sommer, H., Schmitz, A., Schmeissner, U., Miller, J. H. and Wittmann, H.-G., Genetic Studies of the *lac* Repressor. VI. The B116 Repressor: An Altered *lac* Repressor Containing Amino Acids Specified by both the *trp* and *lacI* Leader Regions 457

Wennogle, L. P. and Berg, H. C., Covalent Attachment of Polydeoxythymidylic Acid to Human Erythrocytes 471

Vollenweider, H. J. and Szybalski, W., Electron Microscopic Mapping of RNA Polymerase Binding to Coliphage Lambda DNA 485

Letter to the Editor

Meador, W. E. and Quiocho, F. A., Preliminary Crystallographic Data for a Leucine, Isoleucine, Valine-binding Protein from *Escherichia coli* K12 499

Announcement 503

Number 4, 25 August 1978

Elliott, A. and Offer, G., Shape and Flexibility of the Myosin Molecule . 505

Briehl, R. W., Gelation of Sickle Cell Hemoglobin. IV. Phase Transitions in Hemoglobin S Gels: Separate Measures of Aggregation and Solution–Gel Equilibrium 521

Kam, Z., Shore, H. B. and Feher, G., On the Crystallization of Proteins . 539

Ploegman, J. H., Drent, G., Kalk, K. H. and Hol, W. G. J., Structure of Bovine Liver Rhodanese. I. Structure Determination at 2·5 Å Resolution and a Comparison of the Conformation and Sequence of its Two Domains 557

Mackall, J. C., Lane, M. D., Leonard, K. R., Pendergast, M. and Kleinschmidt, A. K., Subunit Size and Paracrystal Structure of Avian Liver Acetyl-CoA Carboxylase 595

Sussman, J. L., Holbrook, S. R., Warrant, R. W., Church, G. M. and Kim, S-H., Crystal Structure of Yeast Phenylalanine Transfer RNA. I. Crystallographic Refinement 607

Holbrook, S. R., Sussman, J. L., Warrant, R. W. and Kim, S-H., Crystal Structure of Yeast Phenylalanine Transfer RNA. II. Structural Features and Functional Implications 631

Goeddel, D. V., Yansura, D. G., Winston, C. and Caruthers, M. H., Studies on Gene Control Regions. VII. Effect of 5-Bromouracil-substituted *lac* Operators on the *lac* Operator–*lac* Repressor Interaction . . . 661

Letters to the Editor

Powers, T. B., Slykhouse, T. O., Fee, J. A. and Ludwig, M. L., Characterization of an Orthorhombic Crystal Form of Iron-containing Superoxide Dismutase from *Escherichia coli* B 689

Burgess, A. N., Liddell, J. M., Cook, W., Tweedlie, R. M. and Swan, I. D. A., Creatine Kinase. A New Crystal Form Providing Evidence of Subunit Structural Homogeneity 691

Case, D. A. and Karplus, M., Stereochemistry of Carbon Monoxide Binding to Myoglobin and Hemoglobin 697

Fontecilla-Camps, J. C., Suddath, F. L., Bugg, C. E. and Watt, D. D., Crystals of a Toxic Protein from the Venom of the Scorpion *Centruroides sculpturatus* Ewing: Preparation and Preliminary X-ray Investigation 703

Wei, C. H. and Koh, C., Crystallographic Characterization of a Principal Non-toxic Lectin from Seeds of *Ricinus communis* 707

Van Driel, R. and Couture, E., Assembly of the Scaffolding Core of Bacteriophage T4 Preheads 713

Massover, W. H., The Ultrastructure of Ferritin Macromolecules. III. Mineralized Iron in Ferritin is Attached to the Protein Shell . 721

Index to Volume 123

Acetyl-CoA carboxylase of avian liver, subunit size and paracrystal structure, 595
ADMAN, E. T., STENKAMP, R. E., SEIKER, L. C. & JENSEN, L. H., A crystallographic model for azurin at 3 Å resolution, 35
Amino acid changes, direct identification in two mutant *lac* repressors, 454
AMOS, L. A. (see also BAKER, T. S.), 89
ANDERSON, C. M., MCDONALD, R. C. & STEITZ, T. A., Sequencing a protein by X-ray crystallography. I. Interpretation of yeast hexokinase B at 2·5 Å resolution by model building, 1
—, STENKAMP, R. E., MCDONALD, R. C. & STEITZ, T. A., A refined model of the sugar binding site of yeast hexokinase B, 207
—, — & STEITZ, T. A., Sequencing a protein by X-ray crystallography. II. Refinement of yeast hexokinase B co-ordinates and sequence at 2·1 Å resolution, 15
ANDERSON, N. L. (see also KILMARTIN, J. V.), 71
Angiotensin II, crystal data for tonin, an enzyme involved in its formation, 107
ARNON, R. (see also CREIGHTON, T. E.), 129
Assembly *in vitro* of bacteriophage T4 prehead-like structures, 115
— of the scaffolding core of bacteriophage T4 preheads, 713
Avian liver acetyl-CoA carboxylase, subunit size and paracrystal structure, 595
Azurin, a crystallographic model at 3 Å resolution, 25

B116 repressor, an altered *lac* repressor containing amino acids specified by both the *trp* and *lacI* leader regions, 457
Bacteriophage lambda, injection-defective, altered arrangement of the DNA, 149
— T4, *in vitro* assembly of prehead-like structures, 115
— — 5′ polynucleotide kinase 3′ phosphatase, role in true-late gene expression, 221
— — preheads, assembly of the scaffolding core, 713
BAKER, T. S. & AMOS, L. A., Structure of the tubulin dimer in zinc-induced sheets, 89
BENHAM, C. J., The statistics of superhelicity, 361
BERG, H. C. (see also WENNOGLE, L. P.), 471
Binding of carbon monoxide to myoglobin and hemoglobin, stereochemistry, 697
— — RNA polymerase to coliphage lambda DNA, electron microscopic mapping, 485
— site, sugar, of yeast hexokinase B, a refined model, 207
—, tight: repressors which bind operator more tightly generated by suppression and reversion of nonsense mutations; genetic studies of the *lac* repressor, 431
Bohr group salt bridges, response to ligation of the T state of haemoglobin Kansas, 71
Bovine epidermal keratin filament, structure of the three-chain unit, 49
— liver rhodanese, structure determination at 2·5 Å resolution and a comparison of the conformation and sequence of its two domains, 557
— pancreatic trypsin inhibitor, immunochemical analysis of the conformational properties of intermediates trapped in the folding and unfolding, 129
BRIEHL, R. W., Gelation of sickle cell hemoglobin. IV. Phase transitions in hemoglobin S gels: separate measures of aggregation and solution–gel equilibrium, 521
5-Bromouracil-substituted *lac* operators, effect on the *lac* operator–*lac* repressor interaction; studies on gene control regions, 661
BUGG, C. E. (see also DELUCAS, L. J.), 285
— (see also FONTECILLA-CAMPS, J. C.), 703
BURGESS, A. N., LIDDELL, J. M., COOK, W., TWEEDLIE, R. M. & SWANN, I. D. A., Creatine kinase. A new crystal form providing evidence of subunit structural homogeneity, 691

Carbon monoxide, stereochemistry of binding to myoglobin and hemoglobin, 697
CARUTHERS, M. H. (see also GOEDDEL, D. V.), 661
CASE, D. A. & KARPLUS, M., Stereochemistry of carbon monoxide binding to myoglobin and hemoglobin, 697
Centruroides sculpturatus Ewing, crystals of a toxic protein from the venom: preparation and preliminary X-ray investigation, 703
CHABRE, M. (see also OSBORNE, H. B.), 177
CHURCH, G. M. (see also SUSSMAN, J. L.), 607
Cloned DNA sequence analysis and hybridization to separated strands show divergent transcription in the yeast ribosomal RNA coding region, 405
Cloning of the yeast ribosomal DNA repeat unit in *Sst*I and *Hin*dIII lambda vectors using genetic

and physical size selections, 371
Coding sequence visualization, a new electron microscopic technique for establishing the positions of genes: an analysis of the yeast ribosomal RNA coding region, 417
— sequences for 5 S, 5·8 S, 18 S and 25 S ribosomal RNA in *Saccharomyces cerevisiae*, unique arrangement as determined by R-loop and hybridization analysis, 387
Coliphage lambda DNA, electron microscopic mapping of RNA polymerase binding, 485
Conformational properties, examined by immunochemical analysis of intermediates trapped in the folding and unfolding of bovine pancreatic trypsin inhibitor, 129
Cook, W. (see also Burgess, A. N.), 691
Cooley, W. (see also Sirotkin, K.), 221
Coulondre, C. (see also Schmitz, A.), 431
Couture, E. (see also van Driel, R.), 115, 713
Covalent attachment of polydeoxythymidylic acid to human erythrocytes, 471
Creatine kinase. A new crystal form providing evidence of subunit structural homogeneity, 691
Creighton, T. E., Kalef, E. & Arnon, R., Immunochemical analysis of the conformational properties of intermediates trapped in the folding and unfolding of bovine pancreatic trypsin inhibitor, 129
Crystal data for tonin, an enzyme involved in the formation of angiotensin II, 107
— form, new, of creatine kinase, providing evidence of subunit structural homogeneity, 691
— —, orthorhombic, of iron-containing superoxide dismutase from *Escherichia coli* B: characterization, 689
— structure of yeast phenylalanine tRNA: crystallographic refinement, 607
— — — — — —: structural features and functional implications, 631
Crystals of human transferrin, preliminary X-ray study, 285
— — a toxic protein from the venom of the scorpion *Centruroides sculpturatus* Ewing: preparation and preliminary X-ray investigation, 703
Crystallization of proteins, 539
Crystallographic characterization of a principal non-toxic lectin from seeds of *Ricinus communis*, 707
— data, preliminary, for a leucine, isoleucine, valine-binding protein from *Escherichia coli* K12, 499
— model for azurin at 3 Å resolution, 35

Davis, R. W. (see also Ferguson, J.), 417
— (see also Kramer, R. A.), 405
Davis, R. W. (see also Philippsen, P.), 371, 387
Delucas, L. J., Suddath, F. L., Gams, R. A. & Buggs, C. E., Preliminary X-ray study of crystals of human transferrin, 285
DNA, altered arrangement in injection-defective lambda bacteriophage, 149
DNA, cloned, sequence analysis and hybridization to separated strands show divergent transcription in the yeast ribosomal RNA coding region, 405
—/DNA hybridisation, interspecies, and sequence organisation analysis of the wheat and rye genomes, 327
— of coliphage lambda, electron microscopic mapping of RNA polymerase binding, 485
—, ribosomal, of yeast, cloning of the repeat unit in *Sst*I and *Hin*dIII lambda vectors using genetic and physical size selections, 371
Detergent–rhodopsin complexes, structural study by small-angle neutron scattering, 177
Drent, G. (see also Ploegman, J. H.), 557
Drosophila cells, kinetic analysis of 5 S RNA formation, 279

Electron microscopic mapping of RNA polymerase binding to coliphage lambda DNA, 485
— — technique, new, for establishing the position of genes: an analysis of the yeast ribosomal RNA coding region, 417
Eliott, A. & Offer, G., Shape and flexibility of the myosin molecule, 505
Erythrocytes, human, covalent attachment of polydeoxythymidylic acid, 471
Escherichia coli B, characterization of an orthorhombic crystal form of iron-containing superoxide dismutase, 689
— —, characterization and *in vitro* processing of tRNA precursors accumulated in a temperature-sensitive mutant, 287
— — K12, preliminary crystallographic data for a leucine, isoleucine, valine-binding protein, 499

Fee, J. A. (see also Powers, T. B.), 689
Feher, G. (see also Kam, Z.), 539

Ferguson, J. & Davis, R. W., A new electron microscopic technique for establishing the positions of genes: an analysis of the yeast ribosomal RNA coding region, 417
Ferritin macromolecules: mineralized iron is attached to the protein shell, 721
Filaments of bovine epidermal keratin, structure of the three-chain unit, 49
Files, J. G. & Weber, K., Direct identification of the amino acid changes in two mutant *lac* repressors (*Appendix* to Schmitz, A. *et al.*, 431), 454
Flavell, R. (see also Rimpau, J.), 327
Folding and unfolding of bovine pancreatic trypsin inhibitor, immunochemical analysis of the conformational properties of trapped intermediates, 129
Fontecilla-Camps, J. C., Suddath, F. L., Bugg, C. E. & Watt, D. D., Crystals of a toxic protein from the venom of the scorpion *Centruroides sculpturatus* Ewing: preparation and preliminary X-ray investigation, 703

Gams, R. A. (see also Delucas, L. J.), 285
Gelation of sickle cell hemoglobin: phase transitions in hemoglobin S gels: separate measures of aggregation and solution–gel equilibrium, 521
Gene control region studies: effect of 5-bromouracil-substituted *lac* operators on the *lac* operator–*lac* repressor interaction, 661
— expression, true-late, a role for the T4 bacteriophage 5′ polynucleotide kinase 3′ phosphatase, 221
— position determination using a new electron microscopic technique: an analysis of the yeast ribosomal RNA coding region, 417
Genetic studies of the *lac* repressor: the B116 repressor, an altered *lac* repressor containing amino acids specified by both the *trp* and *lacI* leader regions, 457
— — — — — —: repressors which bind operator more tightly generated by suppression and reversion of nonsense mutations, 431
Genomes of wheat and rye, sequence organisation analysis by interspecies DNA/DNA hybridisation, 327
Goeddel, D. V., Yansura, D. G., Winston, C. & Caruthers, M. H., Studies on gene control regions. VII. Effect of 5-bromouracil-substituted *lac* operators on the *lac* operator–*lac* repressor interaction, 661

Hayakawa, K., Kelly, J. A. & James, M. N. G., Crystal data for tonin, an enzyme involved in the formation of angiotensin II, 107
Head-related structures of bacteriophage T4: *in vitro* assembly of prehead-like structures, 115
Hemoglobin and myoglobin, stereochemistry of carbon monoxide binding, 697
—, Kansas, response to the Bohr group salt bridges to ligation of the T state, 71
— S gel phase transitions: separate measures of aggregation and solution–gel equilibrium, 521
Henderson, R., Jubb, J. S. & Whytock, S., Specific labelling of the protein and lipid on the extracellular surface of purple membrane, 259
— (see also Zingsheim, H. P.), 275
Hexokinase B, yeast, interpretation at 2·5 Å resolution by model binding; sequencing a protein by X-ray crystallography, 1
— —, —, refinement of co-ordinates and sequence at 2·1 Å resolution; sequencing a protein by X-ray crystallography, 15
*Hind*III and *Sst*I lambda vector cloning of the yeast ribosomal DNA repeat unit using genetic and physical size selections, 371
Hol, W. G. J. (see also Ploegman, J. H.), 557
Holbrook, S. R., Sussman, J. L., Warrant, R. W. & Kim, S-H., Crystal structures of yeast phenylalanine transfer RNA. II. Structural features and functional implications, 631
— (see also Sussman, J. L.), 607
Human erythrocytes, covalent attachment of polydeoxythymidylic acid, 471
— transferrin crystals, preliminary X-ray study, 285
Hybridisation, DNA/DNA, interspecies, and sequence organisation analysis of the wheat and rye genomes, 327
— to separated strands and sequence analysis of cloned DNA show divergent transcription in the yeast ribosomal RNA coding region, 405

Innunochemical analysis of the conformational properties of intermediates trapped in the folding and unfolding of bovine pancreatic trypsin inhibitor, 129
Injection-defective lambda bacteriophage, altered arrangement of the DNA, 149
Intermediates trapped in the folding and unfolding of bovine trypsin inhibitor, immunochemical analysis of the conformational properties, 129

Iron, mineralized, in ferritin is attached to the protein shell; the ultrastructure of ferritin macromolecules, 721

James, M. N. G. (see also Hayakawa, K.), 107
Jensen, L. H. (see also Adman, E. T.), 35
Jubb, J. S. (see also Henderson, R.), 259

Kalef, E. (see also Creighton, T. E.), 129
Kalk, K. H. (see also Ploegman, J. H.), 557
Kam, Z., Shore, H. B. & Feher, G., On the crystallization of proteins, 539
Karplus, M. (see also Case, D. A.), 697
Kelly, J. A. (see also Hayakawa, K.), 107
Keratin filament, epidermal, bovine, structure of the three-chain unit, 49
Kilmartin, J. V., Anderson, N. L. & Ogawa, S., Response of the Bohr group salt bridges to ligation of the T state of haemoglobin Kansas, 71
Kim, S-H. (see also Holbrook, S. R.), 631
— (see also Sussman, J. L.), 607
Kinase, creatine: a new crystal form providing evidence of subunit structural homogeneity, 691
— phosphatase, T4, and true-late gene expression, 221
Kinetic analysis of 5 S RNA formation in *Drosophila* cells, 279
Kleinschmidt, A. K. (see also Mackall, J. C.), 595
Koh, C. (see also Wei, C. H.), 707
Kolb, A. (see also Thomas, J. O.), 163
Kramer, R. A., Philippsen, P. & Davis, R. W., Divergent transcription in the yeast ribosomal RNA coding region as shown by hybridization to separated strands and sequence analysis of cloned DNA, 405
— (see also Philippsen, P.), 371, 387

λ (see also Bacteriophage), 149
— (see also Coliphage), 485
λ vector (see also Cloning of the yeast ribosomal DNA repeat unit), 371
Labelling, specific, of the protein and lipid on the extracellular surface of purple membrane, 259
lac operators, 5-bromouracil-substituted, effect on the *lac* operator–*lac* repressor interaction; studies on gene control regions, 661
— repressor, genetic studies: the B116 repressor, an altered *lac* repressor containing amino acids specified by both the *trp* and *lacI* leader regions, 457
— —, — —: repressors which bind operator more tightly generated by suppression and reversion of nonsense mutations, 431
— repressors, mutant, direct identification of amino acid changes, 454
Lane, M. D. (see also Mackall, J. C.), 595
Lectin, non-toxic, from seeds of *Ricinus communis*, crystallographic characterization, 707
Leonard, K. R. (see also Mackall, J. C.), 595
Leucine, isoleucine, valine-binding protein from *Escherichia coli* K12, preliminary crystallographic data, 499
Levis, R., Kinetic analysis of 5 S RNA formation in *Drosophila* cells, 279
Liddell, J. M. (see also Burgess, A. N.), 691
Lipid and protein labelling on the extracellular surface of purple membrane, 259
Liver acetyl-CoA carboxylase, avian, subunit size and paracrystal structure, 595
— rhodanese, bovine, structure determination at 2·5 Å resolution and a comparison of the conformation and sequence of its two domains, 557
Ludwig, M. L. (see also Powers, T. B.), 689

McDonald, R. C. (see also Anderson, C. M.), 1, 207
Mackall, J. C., Lane, M. D., Leonard, K. R., Pendergast, M. & Kleinschmidt, A. K., Subunit size and paracrystal structure of avian liver acetyl-CoA carboxylase, 595
Mapping, electron microscopic, of RNA polymerase binding to coliphage lambda DNA, 485
Massover, W. H., The ultrastructure of ferritin macromolecules. III. Mineralized iron in ferritin is attached to the protein shell, 712
Meador, W. E. & Quiocho, F. A., Preliminary crystallographic data for a leucine, isoleucine, valine-binding protein from *Escherichia coli* K12, 499
Membrane (see also Purple membrane), 235, 247, 259, 275
Metal decoration reveals structural difference in the two faces of the purple membrane, 235
Michel-Villaz, M. (see also Osborne, H. B.), 177
Miller, J. H. (see also Schmitz, A.), 431

— (see also Sommer, H.), 457
Model building of yeast hexokinase B; sequencing a protein by X-ray crystallography, 1
Mutant, temperature-sensitive, of *Escherichia coli*, characterization and *in vitro* processing of accumulated tRNA precursors, 287
Mutant *lac* repressors, two, direct identification of the amino acid changes, 454
Myoglobin and hemoglobin, stereochemistry of carbon monoxide binding, 697
Myosin molecule, shape and flexibility, 505

Neugebauer, D.-Ch. & Zingsheim, H. P., The two faces of the purple membrane. Structural differences revealed by metal decoration, 235
—, — & Oesterhelt, D., Recrystallization of the purple membrane *in vivo* and *in vitro*, 247
— (see also Zingsheim, H. P.), 275
Neutron scattering, small-angle, study of structure of rhodopsin in detergent micelles, 177
Nucleic acids, single-stranded, structure in the presence of ribosomal protein, S1, 163

Oesterhelt, D. (see also Neugebauer, D.-Ch.), 247
Offer, G. (see also Elliot, A.), 505
Ogawa, S. (see also Kilmartin, J. V.), 71
Osborne, H. B., Sardet, C., Michel-Villaz, M. & Chabre, M., Structural study of rhodopsin in detergent micelles by small-angle neutron scattering, 177

Pancreatic trypsin inhibitor, immunochemical analysis of the conformational properties of intermediates trapped in the folding and unfolding, 129
Pendergast, M. (see also Mackall, J. C.), 595
Phase transitions in hemoglobin S gels: separate measures of aggregation and solution–gel equilibrium, 521
Philippsen, P., Kramer, R. A. & Davis, R. W., Cloning of the yeast ribosomal DNA repeat unit in *Sst*I and *Hin*dIII lambda vectors using genetic and physical size selections, 371
—, Thomas, M., Kramer, R. A. & Davis, R. W., Unique arrangement of coding sequences for 5 S, 5·8 S, 18 S and 25 S ribosomal RNA in *Saccharomyces cerevisiae* as determined by R-loop and hybridization analysis, 387
— (see also Kramer, R. A.), 405
Ploegman, J. H., Drent, G., Kalk, K. H. & Hol, W. G. J., Structure of bovine liver rhodanese. I. Structure determination at 2·5 Å resolution and a comparison of the conformation and sequence of its two domains, 557
Polydeoxythymidylic acid, covalent attachment to human erythrocytes, 471
Polymerase for RNA, electron microscopic mapping of binding to coliphage lambda DNA, 485
5′ Polynucleotide kinase 3′ phosphatase, T4 bacteriophage, role in true-late gene expression, 221
Powers, T. B., Slykhouse, T. O., Fee, J. A. & Ludwig, M. L., Characterization of an orthorhombic crystal form of iron-containing superoxide dismutase from *Escherichia coli* B, 689
Precursors of tRNA accumulated in a temperature-sensitive mutant of *Escherichia coli*, characterization and *in vitro* processing, 287
Prehead-like structures of bacteriophage T4, assembly *in vitro*, 115
Preheads of bacteriophage T4, assembly of the scaffolding core, 713
Protein, leucine, isoleucine, valine-binding, from *Escherichia coli* K12, preliminary crystallographic data, 499
—, toxic from the venom of the scorpion *Centruroides sculpturatus* Ewing: preparation and preliminary X-ray investigation of crystals, 703
— crystallization, 539
— and lipid labelling on the extracellular surface of purple membrane, 259
— S1, interaction with single-stranded nucleic acids, 163
— sequencing by X-ray crystallography: interpretation of yeast hexokinase B at 2·5 Å resolution by model building, 1
— — — — —: refinement of yeast hexokinase B co-ordinates and sequence at 2·1 Å resolution, 15
Purple membrane, correlated properties of the two sides, 275
— —, recrystallization *in vivo* and *in vitro*, 247
— —, specific labelling of the protein and lipid on the extracellular surface, 259
— —, structural differences revealed in the two faces by metal decoration, 235

Quiocho, F. A. (see also Meador, W. E.), 499

Recrystallization of the purple membrane *in vivo* and *in vitro*, 247
Repressor, *lac*, genetic studies: the B116 repressor, an altered *lac* repressor containing amino acids specified by both the *trp* and *lacI* leader regions, 457
—, —, — —: repressors which bind operator more tightly generated by suppression and reversion of nonsense mutations, 431

Repressors, *lac*, mutant, direct identification of amino acid changes, 454
Rhodanese, bovine liver, structure determination at 2·5 Å resolution and a comparison of the conformation and sequence of its two domains, 557
Rhodopsin in detergent micelles, structural study by small-angle neutron scattering, 177
RNA polymerase binding to coliphage lambda DNA, electron microscopic mapping, 485
—, ribosomal, 5 S, 5·8 S, 18 S and 25 S in *Saccharomyces cerevisiae*, unique arrangement of coding sequences as determined by R-loop and hybridization analysis, 387
—, —, yeast, an analysis of the coding region using a new electron microscopic technique for establishing the positions of genes, 417
—, —, yeast, divergent transcription in the coding region as shown by hybridization to separated strands and sequence analysis of cloned DNA, 405
— 5 S formation in *Drosophila* cells, kinetic analysis, 279
— transfer, precursors accumulated in a temperature-sensitive mutant of *Escherichia coli*, characterization and *in vitro* processing, 287
—, —, yeast phenylalanine, crystal structure: structural features and functional implications, 631
—, —, —, phenylalanine, refinement of crystal structure, 607
Ribosomal DNA of yeast, cloning of the repeat unit in *Sst*I and *Hin*dIII lambda vectors using genetic and physical size selections, 371
— protein S1, interaction with single-stranded nucleic acids, 163
— RNA, 5 S, 5·8 S, 18 S and 25 S in *Saccharomyces cerevisiae*, unique arrangement of coding sequences as determined by R-loop and hybridization analysis, 387
— —, of yeast, coding region, an analysis using a new electron microscopic technique for establishing the positions of genes, 417
— — — —, divergent transcription in the coding region as shown by hybridization to separated strands and sequence analysis of cloned DNA, 405
Ricinus communis, crystallographic characterization of a principal non-toxic lectin from seeds, 707
Rimpau, J., Smith, D. & Flavell, R., Sequence organisation analysis of the wheat and rye genomes by interspecies DNA/DNA hybridisation, 327
R-loop and hydridization analysis shows unique arrangement of coding sequence for 5 S, 5·8 S, 18 S and 25 S ribosomal RNA in *Saccharomyces cerevisiae*, 387
Runnels, J. (see also Sirotkin, K.), 221
Rye and wheat genomes, sequence organisation analysis by interspecies DNA/DNA hybridisation, 327
S1 ribosomal protein, interaction with single-stranded nucleic acids, 163
Sakano, H. & Shimura, Y., Characterization and *in vitro* processing of transfer RNA precursors accumulated in a temperature-sensitive mutant of *Escherichia coli*, 287
Salt bridges, Bohr group response to ligation of the T state of haemoglobin Kansas, 71
Sardet, C. (see also Osborne, H. B.), 177
Schmeissner, H. (see also Sommer, H.), 457
Schmitz, A., Coulondre, C. & Miller, J. H., Genetic studies of the *lac* repressor. V. Repressors which bind operator more tightly generated by suppression and reversion of nonsense mutations, 431
— (see also Sommer, H.), 457
Scorpion *Centruroides sculpturatus* Ewing, crystals of a toxic protein from the venom: preparation and preliminary X-ray investigation, 703
Sequence analysis of cloned DNA and hybridization to separated strands show divergent transcription in the yeast ribosomal RNA coding region, 405
— and conformation comparison of the two domains of bovine liver rhodanese; structure determination at 2·5 Å resolution, 557
— organisation analysis of the wheat and rye genomes by interspecies DNA/DNA hybridisation, 327
Sequences, coding, for 5 S, 5·8 S, 18 S and 25 S ribosomal RNA in *Saccharomyces cerevisiae*, unique arrangement as determined by R-loop and hybridization analysis, 387
Sequencing a protein by X-ray crystallography: refinement of yeast hexokinase B co-ordinates and sequence at 2·1 Å resolution, 15
— — — — — —: interpretation of yeast hexokinase B at 2·5 Å resolution by model building, 1
Shimura, Y. (see also Sakano, H.), 287
Shore, H. B. (see also Kam, Z.), 539
Sickle cell hemoglobin gelation-phase transitions in hemoglobin S gels: separate measures of aggregation and solution–gel equilibrium, 521
Sieker, L. C. (see also Adman, E. T.), 35
Sirotkin, K., Cooley, W., Runnels, J. & Snyder, L. R., A role in true-late gene expression for the T4 bacteriophage 5′ polynucleotide kinase 3′ phosphatase, 221

Size selection used in cloning of the yeast ribosomal DNA repeat unit in *Sst*I and *Hin*dIII lambda vectors, 371
Slykhouse, T. O. (see also Powers, T. B.), 698
Smith, D. (see also Rimpau, J.), 327
Snyder, L. R. (see also Sirotkin, K.), 221
Sommer, H., Schmitz, A., Schmeissner, U., Miller, J. H. & Wittmann, H.-G., Genetic studies of the *lac* repressor. VI. The B116 repressor: an altered *lac* repressor containing amino acids specified by both the *trp* and *lacI* leader regions, 457
*Sst*I and *Hin*dIII lambda vector cloning of the yeast ribosomal DNA repeat unit using genetic and physical size selections, 371
Statistics of superhelicity, 361
Steinert, P. M., Structure of the three-chain unit of the bovine epidermal keratin filament, 49
Steitz, T. A. (see also Anderson, C. M.), 1, 15, 207
Stenkamp, R. E. (see also Adman, E. T.), 35
— (see also Anderson, C. M.), 15, 207
Stereochemistry of carbon monoxide binding to myoglobin and hemoglobin, 697
Sternberg, N. (see also Thomas, J. O.), 149
Structural differences in the two faces of the purple membrane revealed by metal decoration, 235
— study of rhodopsin in detergent micelles by small-angle neutron scattering, 177
Structure, paracrystal, and subunit size of avian liver acetyl-CoA carboxylase, 595
— of bovine liver rhodanese at 2·5 Å resolution and a comparison of the conformation and sequence of its two domains, 557
— — ferritin macromolecules: mineralized iron is attached to the protein shell, 721
— — myosin molecule, shape and flexibility, 505
— — single-stranded nucleic acids in the presence of ribosomal protein S1, 163
— — the sugar binding site of yeast hexokinase B, 207
— — — three-chain unit of the bovine epidermal keratin filament, 49
— — — tubulin dimer in zinc-induced sheets, 89
— — yeast phenylalanine tRNA: structural features and functional implications, 631
— — — — —: crystallographic refinement, 607
Suddath, F. L. (see also Delucas, L. J.), 285
— (see also Fontecilla-Camps, J. C.), 703
Sugar binding site of yeast hexokinase B, a refined model, 207
Superhelicity statistics, 361
Superoxide dismutase, iron-containing, from *Escherichia coli* B, characterization of an orthorhombic crystal form, 689
Sussman, J. L., Holbrook, S. R., Warrant, R. W., Church, G. M. & Kim, S-H., Crystal structure of yeast phenylalanine transfer RNA. I. Crystallographic refinement, 607
— (see also Holbrook, S. R.), 631
Swan, I. D. A. (see also Burgess, A. N.), 691
Szer, W. (see also Thomas, J. O.), 163
Szybalski, W. (see also Vollenweider, H. J.), 485

T state of haemoglobin Kansas, response of the Bohr group salt bridges to ligation, 71
T4 (see also Bacteriophage,) 115, 221, 713
Temperature-sensitive mutant of *Escherichia coli*, characterization and *in vitro* processing of accumulated tRNA precursors, 287
Thomas, J. O., Kolb, A. & Szer, W., Structure of single-stranded nucleic acids in the presence of ribosomal protein S1, 163
—, Sternberg, N. & Weisberg, R., Altered arrangement of the DNA in injection-defective lambda bacteriophage, 149
Thomas, M. (see also Philippsen, P.), 387
Tonin, an enzyme involved in the formation of angiotensin II, crystal data, 107
Transcription, divergent, in the yeast ribosomal RNA coding region as shown by hybridization to separated strands and sequence analysis of cloned DNA 405
Transfer RNA precursors accumulated in a temperature-sensitive mutant of *Escherichia coli*, characterization and *in vitro* proceedings, 287
— —, yeast phenylalanine, crystal structure: structural features and functional implications, 631
— —, — —, refinement of crystal structure, 607
Transferrin, human, preliminary X-ray study of crystals, 285
trp and *lacI* leader regions both specify amino acids in the B116 repressor, an altered *lac* repressor, 457
True-late gene expression, a role for the T4 bacteriophage 5′ polynucleotide kinase 3′ phosphatase, 221

Trypsin, pancreatic, inhibitor, immunochemical analysis of the conformational properties of intermediates trapped in the folding and unfolding, 129
Tubulin dimer, structure in zinc-induced sheets, 89
Tweedlie, R. M. (see also Burgess, A. N.), 691

Van Driel, R. & Couture, E., Assembly of bacteriophage T4 head-related structures. II. *In vitro* assembly of prehead-like structures, 115
— & —, — of the scaffolding core of bacteriophage T4 preheads, 713
Vollenweider, H. J. & Szybalski, W., Electron microscopic mapping of RNA polymerase binding to coliphage lambda DNA, 485

Warrant, R. W. (see also Holbrook, S. R.), 631
— (see also Sussman, J. L.), 607
Watt, D. D. (see also Fontecilla-Camps, J. C.), 703
Weber, K. (see also Files, J. G.), 454
Wei, C. H. & Koh, C., Crystallographic characterization of a principal non-toxic lectin from seeds of *Ricinus communis*, 707
Weisberg, R. (see also Thomas, J. O.), 149
Wennogle, L. P. & Berg, H. C., Covalent attachment of polydeoxythymidylic acid to human erythrocytes, 471
Wheat and rye genomes, sequence organisation analysis by interspecies DNA/DNA hybridisation, 327
Whytock, S. (see also Henderson, R.), 259
Winston, C. (see also Goeddel, D. V.), 661
Wittmann, H.-G. (see also Sommer, H.), 457

X-ray crystallographic sequencing of a protein: interpretation of yeast hexokinase B at 2·5 Å resolution by model building, 1
— — — — — —: refinement of yeast hexokinase B co-ordinates and sequence at 2·1 Å resolution, 15
— investigation, preliminary, and preparation of crystals of a toxic protein from the venom of the scorpion *Centruroides sculpturatus* Ewing, 703
— study, preliminary, of crystals of human transferrin, 285

Yansura, D. G. (see also Goeddel, D. V.), 661
Yeast hexokinase B, a refined model of the sugar binding site, 207
— — —, interpretation at 2·5 Å resolution by model building; sequencing a protein by X-ray crystallography, 1
— — —, refinement of co-ordinates and sequence at 2·1 Å resolution; sequencing a protein by X-ray crystallography, 15
— phenylalanine tRNA, crystal structure; structural features and functional implications, 631
— — —, refinement of crystal structure, 607
— ribosomal DNA repeat unit cloning in *Sst*I and *Hin*dIII lambda vectors using genetic and physical size selections, 371
— — RNA coding region, an analysis using a new electron microscopic technique for establishing the positions of genes, 417
— — — coding region, divergent transcription shown by hybridization to separated strands and sequence analysis of cloned DNA, 405

Zingsheim, H. P., Henderson, R. & Neugebauer, D.-Ch., Properties of the two sides of the purple membrane correlated, 275
— (see also Neugebauer, D.-Ch.), 235, 247